


TIP LME-OP (SERIA EUROPENĂ) LME-OP TYPE (EUROPEAN SERIES)



Cod Code	Tip Type	Circuite de bile Ball circuit	dr		D		L		B		D1		W	h1	Θ	Excentricitate Eccentricity (max.)	Joc radial Radial clearance (max.)	Sarcină Load		Greutate Weight
			(mm)	(μm)	(mm)	(μm)	(mm)	(μm)	(mm)	(μm)	(mm)	(mm)	(mm)	(μm)	(N)			C0		
84.038.005	LME12UU-OP	3	12	+8 / 0	22	0	32		22,9		21	1,3	7,5	78°	12	-4	510	784	45	
84.038.007	LME16UU-OP	4	16	+9 +1	26	-9	36	0 -200	24,9	0 -300	24,9	1,3	10	78°			578	892	60	
84.038.009	LME20UU-OP	4	20		32		45		31,5		30,3	1,6	10	60°	15	-6	862	1370	102	
84.038.011	LME25UU-OP	5	25	+11 -1	40	0 -11	58		44,1		37,5	1,85	12,5	60°			980	1570	235	
84.038.013	LME30UU-OP	5	30		47		68	0 -300	52,1		44,5	1,85	12,5	50°	17	-8	1570	2740	360	
84.038.015	LME40UU-OP	5	40		62	0 -13	80		60,6	0 -400	59	2,15	16,8	50°			2160	4020	770	
84.038.016	LME50UU-OP	5	50	+13 -2	75		100		77,6		72	2,65	21	50°	20	-13	3820	7940	1250	
84.038.017	LME60UU-OP	5	60		90	0 / -15	125	0 / -400	3,15		86,5	3,15	27,2	54°			4700	9800	2220	